EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2	"7020143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 18:35
L4	2	"20050091642".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L5	2	"7020143".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L6	2	"6940864".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L7	2	"6147996".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L8	1018	(hierarch$5 with queu$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L9	7	((hierarch$5 with queu$4) and (propagat$4 with (parameter or attribute))) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18

L10	1	(hierarch$5 with queu$4).ti. and (propagat$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L11	16	(hierarch$5 with queu$4). ab. and (propagat$4) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L13	1	(hierarch$5 same queu$4 same propagat$4 same (parameter or configur$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L14	5	(queu$4 same propagat$4 same (parameter or configur$5) same root) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L15	12	(queu$4 same (parameter or configur$5) same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L16	74	(queu$4 same (parameter or configur$5) same layered) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L17	21	(queu$4 same updat$5 same root same leaf) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L19	7484	(adminstrator same allocat $5 sameh bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18

L21	419	(user same allocat$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L23	16	(administrator same allocat$5 same bandwidth same queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L24	42	(user with allocat$5 with bandwidth with queue) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L27	1	(MQC same CLI) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L28	5	(common with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L29	2	(UML with language with Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18
L31	1	(behavioral same language same Qos) and (@rlad<"20040505" or @ad<"20040505")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/04/29 19:18

4/29/2009 7:25:13 PM
C:\ Documents and Settings\ sahmed\ My Documents\ EAST\ Workspaces\ 10840126-Sept-19-2008-Chu_Case.wsp